



**RELIANCE
HOME**

Built for Better Home



OPEN 7 DAYS (Except headquarter office)

Mon-Sat : 9:30am - 7:00pm
Sunday : 10:30am - 5:00pm

Hotline **1800-815-862**
www.reliancehome.com

Head Quarters

No. 3, Jalan Taming 2A,
KWS, Perindustrian
Taming Jaya,
43300 Balakong, Malaysia.
Tel : +603-8962 3288
Fax : +603-8962 3688

Cheras

No. 62 Ground Floor,
Jalan Cerdas,
Taman Connaught,
Cheras 56000 K.L.
Tel : +603-9100 5094
Fax : +603-9100 5096

Damansara

No. 98G, Jalan SS21/39,
Damansara Utama, 47400
Petaling Jaya,
Selangor.
Tel : +603-7729 3888
Fax : +603-7729 7988

Puchong

No. 9, Jalan Puteri 2/1,
Bandar Puteri Puchong,
47100 Puchong,
Selangor.
Tel : +603-8060 3885
Fax : +603-8061 2588



CASEMENT WINDOW

THE PRESTIGE

MATERIAL SPECIFICATION

- Lock System :** MultiPoint Security Lock
- Glass Thickness :** 6.38 - 8.38mm
- Frame Color :** Dupont / Jotun Outdoor Coating
- Aluminum Extrusion Thickness :** ±1.8-2.00mm



| Multi Point Locking System |



- Surface Finishes :** Glossy Polish/Matt
- Material :** SUS 304 Stainless Steel
- Function :** Pivot Door
(Outward)

| Bar Hinge System |



- Surface Finishes :** Glossy Polish/Matt
- Material :** SUS 304 Stainless Steel
- Function :** Pivot Door
(Outward)

CASEMENT WINDOW

THE LUXE

MATERIAL SPECIFICATION

Lock System : MultiPoint Security Lock
Glass Thickness : 6.38 - 8.38mm
Frame Color : Dupont / Jotun Outdoor Coating
Aluminum Extrusion Thickness : ±1.8-2.00mm



| Multi Point Locking System |



Surface Finishes : Glossy Polish/Matt
Material : SUS 304 Stainless Steel
Function : Pivot Door
 (Outward)

| Bar Hinge System |



Surface Finishes : Glossy Polish/Matt
Material : SUS 304 Stainless Steel
Function : Pivot Door
 (Outward)

TOP HUNG WINDOW

THE LUXE

MATERIAL SPECIFICATION

Lock System : MultiPoint Security Lock

Glass Thickness : 6.38 - 8.38mm

Frame Color : Dupont / Jotun Outdoor Coating

Aluminum Extrusion Thickness : ±1.8-2.00mm



| Multi Point Locking System |



Surface Finishes : Glossy Polish/Matt
 Material : SUS 304 Stainless Steel
 Function : Pivot Door
 (Outward)

| Bar Hinge System |



Surface Finishes : Glossy Polish/Matt
 Material : SUS 304 Stainless Steel
 Function : Pivot Door
 (Outward)



SLIDING WINDOW

THE LUXE



Embedded
A5 Lock

Embedded
C Handle

Frame Material : Aluminium
Aluminium Thickness : 1.6mm

Aluminium Grade : 6063-T5

Infil Panel : 6.38mm - 8.38mm
Laminated Glass

Locking System : Multipoint Locking

A5 Handle : Zinc Die Cast
Embedded C Handle : Aluminium



- 1 THE PRESTIGE Casement Window
- 2 Top Hung Windows with Fixed Panels
- 3 THE LUXE Windows with Fix Panels



MULTI SLIDING DOOR

LUXE SERIES



MATERIAL SPECIFICATION


Glass Thickness : 6.38 - 8.38mm

Frame Color : Dupont / Jotun Outdoor Coating


Aluminum Extrusion Thickness : ±1.8-2.00mm

2 Tracks


2-leaf
2 tracks



4-leaf
2 tracks




Integrated composite
2-leaf




3 Tracks


3-leaf
3 tracks




3-leaf joined
2 tracks



6-leaf
3 tracks




3-leaf independent
2 tracks



4 Tracks

4-leaf
4 tracks





HANDLE CHOICE



Lock System : Zinc Die Cast Security Lock
Color : Black / White

Lock System : MultiPoint Security Lock
Color : Black / White

HIGH PERFORMANCE

MULTI SLIDING DOOR

LUXE SERIES


MATERIAL SPECIFICATION

Glass Thickness : 6.38 - 8.38mm

Frame Color : Dupont / Jotun Outdoor Coating

Aluminum Extrusion Thickness : $\pm 1.8 - 2.00\text{mm}$


DOOR PANEL





Luxury of Space

Our Folding Series maximise your door opening space up to 95%, allowing you a complete ventilation within the house and enjoy the natural breeze whenever you feel like to.





| Multifolding Door Opening Mechanism |



2 Door Series
No. of Panel
2 + 0



3 Door Series
No. of Panel
3 + 0



3 Door Series
No. of Panel
2 + 1




4 Door Series
No. of Panel
3 + 1



4 Door Series
No. of Panel
4 + 0




4 Door Series
No. of Panel
2 + 2




5 Door Series
No. of Panel
4 + 1




5 Door Series
No. of Panel
3 + 2



5 Door Series
No. of Panel
5 + 0



6 Door Series
No. of Panel
3 + 3



6 Door Series
No. of Panel
5 + 1

Sliding \rightleftarrows Swing \curvearrowright

THE PRESTIGE SERIES

THE LUXE SERIES



Multipoint Safety Lock
For better security against adverse force (SUS304 S/Steel)



High Quality Powder Coat OUTDOOR
Thicker and better weather resistance Frame coating system

Latch & Lock



What's THE LUXE more compare to THE BASICS?

Concealed Hinge Bar
Provides sleek & solid view

Highgraded ABS Lock Handle



Thicker & Heavier Alum Frame Profile

More Heavy Duty Roller System
Size up to 3x 12'H per panel





MULTI FOLDING DOOR

LUXE SERIES



Embedded V-Channel



Nut Holder



4S600

Staircase Model



4S101



4S202



4S303



4S404




4S505

All Types of Glass Rail





Saflex



Benefits of Laminated Glass

Safety

- Meets all the national safety glazing standards (ANSI Z97.1CPCSC 16 CFR 1201 – Cat II)
- Resist penetration, won't shatter into dangerous fragment

Sound

- Typical STC (Sound Transmission Class) ratings between 34 to 40*
- Can reduce perceived noise by up to 50% Typical STC (Sound Transmission Class)

Security

Standard LAG (1/4" with 0.060" thickness) provides a significant improvement in resistance to attack from a variety of hand held weapons in: Rock, Hammer, Pry bar, Brick, Chisel, Axe, etc.

Solar

Screens out 99% of harmful & damaging UV rays up to 380 nm (= SPF 50+) Protects delicate plants, fabrics, carpets, and furniture from fading.

Solar Data	Test method	clear glass	Visible light (D65)	Solar
Transmission	ISO 9050 / EN410 / NFRC 300	2 x 3.0 mm	88%	71%
Reflection	ISO 9050 / EN410 / NFRC 300	2 x 3.0 mm	8%	7%
Absorption	ISO 9050 / EN410	2 x 3.0 mm	4%	22%
Solar Heat Gain Coefficient (SHGC)	NFRC 300	2 x 3.0 mm	0.80	
Light to Solar Gain (LSG)		2 x 3.0 mm	1.10	
UV Blocking	Wavelength Damage Weighted	2 x 3.0 mm	300 - 800 300 - 400	>99% >96%



Skylight Metal Structure Choice



Hollow Type



Hollow T-Bar



Wave T-Bar



Pigeon T-Bar



Origin T-Bar






NEW
4x better!



**Stainless Steel
Bearing Roller**

- 100% Rust Proof Materials
- Heavy Duty Bearing System
- Strong Aluminium Profile to sustain the glide system
- Smooth & Silent Roller System



High Quality Powder Coat (INDOOR)

Thicker and better weather resistance frame coating system

Quality Handle Lockset



Quality Aluminium Extrusion




Bi-4 Handle

Bi-2 Handle

| Various of Infill Panel Choices |

1 Laminated Glass



2 Acrylic Panel



3 Ecopanel Graphic



www.reliancehome.com/catalog



FD117



FD115



FD118



FD113



FD113



FD112



FD116



FD111



FD117 - Eco



FD117+
1/3 LOUVRES



FD117+
1/2 LOUVRES



FULL LOUVRES

UV-Protective Green Technology






サンエーは業界オリジナルのノンVOCマークです

Introducing "Eco-Solvent" ink, which is a VOC FREE and environmentally friendly materials for green printing.

Bi-fold DOOR

Choose your door mechanism





Aluminum Swing & Sliding Door Model Selection



Quick Facts





Kitchen Door



Walk in Wardrobe



Shoe Room Door



Bathroom Door



Closet Door



Dividing Hall



Yard Door

- ✓ No Bottom Track
- ✓ Water-Proofing
- ✓ Rust-Proof
- ✓ Heavy Duty Roller
- ✓ Custom Made
- ✓ 2 Years Warranty



Wet/Dry Kitchen

Sliding Door

Lockset Choice



A5/A6 YM-6 ZL-102 R8 Lock MultiSliding Lockset (Black/White) C Handle L-106 (ø 20mm)

Swing Door

Lockset Choice



Safety Lock (Silver) Round Lock (Silver/Bronze) Lever Lock (Square Lock) SLAP6504 (Square Lock)



Kitchen Door



Wardrobe Door



Study Room Door



Kitchen Door



Bathroom Door



Office Meeting Room



Entertainment Room



Study Room Door



Living Hall to Garden



Toilet Door

REH Shower Series



MODEL: REH100 SSL / Frame: Mirror Polished
G. Thickness: 10mm Clear Tempered / Header: S. Steel 304

MODEL: REH100 Single Glass Door
G. Thickness: 10mm CTG



MODEL: REH100 SR / Frame: Mirror Polished
G. Thickness: 10mm Clear Tempered / Header: S. Steel 304

MODEL: REH100 AL / Frame: Aluminium Silver Chromed Polish
G. Thickness: 10mm Clear Tempered / Header: Aluminium



MODEL: REH100 SQ / Frame: Mirror Polished
G. Thickness: 10mm Clear Tempered / Header: S. Steel 304

MODEL: REH100 SQUALU / Frame: Aluminium Silver Chromed Polish
G. Thickness: 10mm Clear Tempered / Header: S. Steel 304



NEW!



MODEL: RS120 - 4mm PS
Frame: Anodised/ Powder Coated
Infill: Polystyrene Panel



MODEL: RS130 - 4mm 'S' TG
Frame: Anodised/ Powder Coated
Infill: 4mm 'S' Design Tempered Glass



MODEL: RS140 - 4mm CTG
Frame: Anodised/ Powder Coated
Infill: 4mm Clear Tempered Glass



MODEL: RS431 - Sliding Door
Frame: Anodised/ Powder Coated
Infill: 4mm Polystyrene Panel



MODEL: RS220 - Sliding Door
Frame: Anodised/ Powder Coated
Infill: 4mm CTG



MODEL: RS111 - Folding Door
Frame: Anodised/ Powder Coated
Infill: 4mm CTG



MODEL: RS109 - Folding Door
Frame: Anodised/ Powder Coated
Infill: 4mm CTG



MODEL: RS180Z - Folding Door
Glass: 8mm C.Tempered Glass
*c/w stainless steel handle



MODEL: RS5018P - Sliding Door
Glass: 8mm C.Tempered Glass
*c/w stainless steel handle



MODEL: RS5018P + Fix Panel
Glass: 8mm C.Tempered Glass
*c/w stainless steel handle



MODEL: RS5018PL - Sliding Door
Glass: 6mm C.Tempered Glass
*c/w stainless steel handle



MODEL: RB090R - 180 degree Swing Door
G. Thickness: 8mm CTG

NEW!
2 Panels, 2 Way Sliding



MODEL: 5028P - 2 Way Sliding Door
Frame: Silver Chromed Polish
G. Thickness: 8mm Clear Tempered Glass



MODEL: KW-P51 - Swing out only
Material: Full SUS304 Stainless Steel
G. Thickness: 8mm Clear Tempered Glass
Size: 1200mm x 2000mm H
1400mm x 2000mm H



MODEL: KK-T11 - Bothside Sliding Door
Material: Full SUS304 Stainless Steel
G. Thickness: 8mm Clear Tempered Glass
Size: Custom Made



MODEL: KK-T41 - Sliding Door
Material: Full SUS304 Stainless Steel
G. Thickness: 8mm Clear Tempered Glass
Size: 985 x 985 x 2000mm H



Glass House



VWP Glass Door/ Window



VWP Office Glass Partition



TG800 Glass Sliding Door



Alum. Glass Partition



Tempered Glass Room



TG800 Glass Door



Glass Dining Divider



Alum. Glass Divider



Aluminum Glass Partition



Study Glass Room



Closet Glass Door



Living Hall Glass Wall



Roof Entertainment Room



Waiting Glass Lounge



Interior Glass Wall



Kitchen Glass Door



Office Glass Door



Glass Leisure room



Aluminum Louver Fence



Glass Partition

