

Outdoor Door Windows Series



ALUMINIUM CASEMENT WINDOWS FEATURES & BENEFITS



WINDOW DESIGN


























| F | F | F | | |
|---|---|---|--|--|
| F | | F | | |

*F = Fix panel







THE PRESTIGE WINDOWS



S P E C I F I C A T I O N

| Frame | : | Aluminium |
|--------------|---|-----------------|
| Finish | : | Powder Coated |
| Infill Panel | : | Laminated Glass |
| Lock | : | MultiPoint Lock |



Limit Support Arm SUS304 Stainless Steel



THE LUXE WINDOWS



SPECIFICATION

| : Aluminium | |
|-------------------|-------------------------------------|
| : Powder Coated | |
| : Laminated Glas | s |
| : MultiPoint Lock | |
| | : Powder Coated : Laminated Glas |





MultiPoint Lock SUS304 Stainless Steel



4 - Bar Hinge SUS304 Stainless Steel







FIXED GLASS WINDOW



CENTER & BOTTOM FIXED GLASS WINDOW



CORNER WINDOW



FIXED GLASS WINDOWS





75MM FRAME PROFILE


TOP HUNG WINDOWS



TOP HUNG WINDOW

SPECIFICATION

| Frame | : | Aluminium |
|--------------|---|---------------------------------|
| Finish | : | Powder Coated |
| Infill Panel | : | Laminated Glass / Security Mesh |
| Lock | : | MultiPoint Lock System |







MultiPoint lock SUS304 Stainless Steel



Four Bar Hinge SUS304 Stainless Steel



Outside View



FOLDING WINDOWS

FEATURES & BENEFITS

| ITEM | PRICE CALCULATION REMARK |
|---------------------------|---|
| SIZE | Minimum sqft: 16 sqft Custom Made size |
| USE | Outdoor Area: Kitchen, Study Room, Dining Window |
| Frame Finis Glass Type | Powder Coated (Fluorocarbon Chemistry Technology) Double Layer Laminated Safety Glass |
| Accessorie | |
| Frame Colo | |
| Glass Color | |
| Glass Thickne | ss Upgrade Option: 6.38mm, 6.76mm, 8.38mm or 10.38mm |



Handle Lock



MultiPoint Lock



Heavy Duty Track System

SLIDING WINDOWS



ANTI EXPLOSION Laminated Glass



Multipoint Lock



Anti-Lift Track System

3" A SERIES WINDOW

S P E C I F I C A T I O N

| Frame | : | Aluminium |
|--------------|---|-----------------|
| Finish | : | Powder Coated |
| Infill Panel | : | Laminated Glass |
| Lock | : | MultiPoint Lock |



2" SLIDING WINDOW





60mm Frame



Embedded Lock



Track System

SPECIFICATION

Frame: AluminiumFinish: Powder CoatedInfill Panel: Laminated GlassLock: A5 or A6 Lock



Find **Peace** and **Quite** in Our Loud Modern World

Designed for Sound Reduction



Double Layer Nonshattered Safety Glass (PVB:USA) ANSI Z97.1 CPSC 16 CFR 1201 – Cat I

LAMINATED GLASS DRAWING

SOLAR -Screens out 99% of harmful & damaging UV rays up to 380nm(=SPF50+) Protects delicate plants, fabrics, carpets furniture. SECURITY- Security Standards include: ASTM F1233/UL 972 (forced entry), ASTM F 1915 (forced exit),UL 752 (bullet resistant).SOUND- Typical STC (Sound Transmission Class) ratings between 34 to 40* Can reduce perceived noise by minimum 50%

CUSTOMER PHOTOS

SEUCIRY MESH







CUSTOMER PHOTOS

CASEMENT WINDOW







