

# KINETIX™

## MOTION PRO

SLIDING SYSTEM





## GAME CHANGER: MODULAR ROOM-IN-ROOM SYSTEM

Move Up to **10 Sliding Doors**  
**effortlessly with One Finger.**

**KINETIX™ Motion PRO** Sliding system enables **smooth bi-directional sliding** and **compact stacking**, creating **flexible, space-saving layouts**. With **no floor guide required**, it ensures a **clean installation** even on **uneven floors**.

Featuring a **slim frame**, **concealed screws**, and **easy maintenance**, the system delivers a **sleek modern look** with **fast installation**. Its **modular design** allows **full customization** to fit your space.



# NEXT GENERATION SIMPLE, EFFICIENT AND FLEXIBLE.

## DURABLE

Reversible roller technology with removable roller units for easy maintenance.



## INNOVATIVE TWO-WAY DAMPING

One integrated two-way damper enables smooth closing from both sides, supporting door widths from 600 mm while saving space.



## HIDDEN TECHNOLOGY

Integrated synchronization technology minimizes panel gaps for a cleaner look, with no cover panels or visible drill holes.



## UP TO 10 DOORS SEAMLESSLY

With Perfect system, up to 10 doors can be installed in a row.



## DISCREET FRAME DESIGN

Integrated technology creates a slim frame with no cover panels.



## SAFE IS SAFE

Optional sliding door lock for added security.



## EASY SLIDE

Special synthetic rollers ensure smooth, stable gliding with no shaking and no floor marks.



## NO FLOOR GUIDANCE RAILS

No visible floor guide rail for a clean look and trip-free access.

# PERFECTION IN DETAILS:


## SMALL THINGS.

## BIG EFFECT.



| FEATURE            | CONVENTIONAL SYSTEMS                                                                            | KINETIX™ MOTION PRO SYSTEM                                                                                                                                                                                                         |
|--------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cover/ Frame       | High assembly effort, high structure.                                                           | <p>The complete system/running technology is installed in the lower profile, resulting in a small gap.</p> <p><b>No cover panel required and narrow frames can be realised. No disruptive drill holes or screws visible.</b></p>   |
| Floor Guide        | Fixed floor guide required.                                                                     | <p>Special pressure rollers function in the lower area, which ensure extreme stability and running quality.</p> <p><b>No fixed floor guide required. Uneven floors are levelled out and doors are extremely easy to slide.</b></p> |
| Profile Cut        | Frame profiles must be cut at a 45° angle.                                                      | <p>Straight profile cuts, the profiles are covered by the drive.</p> <p><b>Quick and easy installation – also thanks to our intelligent installation features.</b></p>                                                             |
| Running Technology | Running and synchronisation technology are permanently installed together in the upper section. | <p>It is 4 ways reversible thanks to the dismountable roller technology.</p> <p><b>The roller units can be easily removed, e.g. to fill the integrated oil tank.</b></p>                                                           |
| Number of Doors    | Depending on the number of tracks, this is system-limited with a maximum of four doors.         | <p>Thanks to the new, innovative connection technology, <b>up to 10 doors</b> can be mounted one after the other which can be parked easily and compactly.</p>                                                                     |

### KINETIX™ MOTION PRO SYSTEM



### CONVENTIONAL SYSTEM



# ALLROUNDER: ONE SYSTEM. UNLIMITED POSSIBILITIES

## From One to Eight:

One system, Eight different door applications.



Synchronized Door



Linkage Door



Swing Door



Invisible Door



Overlap Sliding Door



Pocket Door



Central Shaft Door



Folding Door

## Automatic or Manual Opening:

Open doors automatically or manually with ease.



Manual  
Push & Pull



Intelligent  
Electric



## Perfectly Fitting Door Handles

Premium-quality handles for a comfortable grip and elegant finish.



## No Limits:

You have the idea.  
We have the right solution.



Ceiling mounting



Wall mounting



Pocket door



1 door



2 doors



3 doors



More than  
3 doors



Door stacking



Fixed element



Aluminum  
frame for glass



ESG Glass  
recommended



Frame double  
glass door



Product code



Door height  
3,000 mm



Door width  
1,500 mm



Door thickness  
8-10 mm



Height adjustment  
± 3



Glass thickness  
40 mm




Door weight  
≤ 80 kg




Both sides damping

# SOFT CLOSE AND TELESCOPIC >>>


## KINETIX™ MOTION PRO SLIDING CONFIGURATION




**1+0 Panel**




**1S+1F (2 Panel)**




**1+1 (2 Panel)**




**2+0 (2 Panel)**




**1S+1S (2 Panel)**




**2S+1F (3 Panel)**



**3S (3 Panel)**



**3+0 Panel**




**2S+2F (4 Panel)**

Info:  
\*F - Fixed



**3S+1F (4 Panel)**



**2S+2S (4 Panel)**



**0+4 Panel**



**4S+2F (6 Panel)**



# KINETIX™ HANDLE

## MOTION PRO SLIDING



**Kinetix™ Motion Pro  
Round Handle 1 (Ø 110)**  
04-010-100-101



**Kinetix™ Motion Pro  
U-Shaped Handle 1**  
04-010-100-103



# SOFT CLOSE AND TELESCOPIC >>>

## KINETIX™ MOTION PRO SLIDING SYSTEM



SLIM FRAME PROFILE



ROUND Ø HANDLE



EMBEDDED HANDLE




SOFT-CLOSE SYSTEM



NO BOTTOM TRACK SYSTEM





## BUILD TO ORDER

As Simple as It Is Genius.  
One Kit. Everything Included.

Sustainable & Cost-Saving  
Modular System

The KINETIX™ Motion PRO system offers **flexible sliding door solutions** for **wall-mounted** or **ceiling-mounted installations**. Create multi-leaf sliding doors by combining individual systems, or use dedicated kits for **glass partition walls with three or more doors**.

Each kit includes essential components such as **fittings, rail system, and aluminium frame**. Customise your setup based on **installation type and door quantity** - order only what you need, reducing waste and saving costs.

Explore our **customised solutions** below.



### ONE PANEL —

Ceiling/ Wall Mounting  
Aluminium Frame



Ceiling  
Mounting


#### FITTINGS



1 pc : 04-000-101-001




#### TRACK SYSTEMS



1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)



#### DOOR-KIT




1 pc : 04-000-102-006


Wall  
Mounting



1 pc : 04-000-101-001



1 pc : 04-000-102-005 (2.5 m)  
04-000-102-240 (4 m)




1 pc : 04-000-102-006

## 2 PANELS

Ceiling Mounting  
Aluminium Frame

## 3 PANELS

Ceiling Mounting  
Aluminium Frame


## FITTINGS



2 pcs : 04-000-101-001

2x

## TRACK SYSTEMS



1 pc : 04-000-102-001 (3 m)


1x

## DOOR-KIT



2 pcs : 04-000-102-006

2x



1 pc : 04-000-102-003 (3 m)

1x


## FITTINGS



2 pcs : 04-000-101-001

2x

## TRACK SYSTEMS

1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)

1x

## DOOR-KIT



2 pcs : 04-000-102-007

2x




1 pc : 04-000-101-L02

1x



1 pc : 04-000-101-R02

1x

2 pcs : 04-000-102-003 (3 m)  
04-000-102-140 (4 m)  
04-000-102-004 (6 m)

2x



1 pc : 04-000-102-008

1x

## 4 PANELS

Ceiling Mounting  
Aluminium Frame

## 5 PANELS


Ceiling Mounting  
Aluminium Frame

## FITTINGS



2 pcs : 04-000-101-001

## TRACK SYSTEMS

1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)


## DOOR-KIT



2 pcs : 04-000-102-007



1 pc : 04-000-101-L03

3 pcs : 04-000-102-003 (3 m)  
04-000-102-140 (4 m)  
04-000-102-004 (6 m)

2 pcs : 04-000-102-008

OR




1 pc : 04-000-101-R03

## FITTINGS



2 pcs : 04-000-101-001

## TRACK SYSTEMS

1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)



## DOOR-KIT



2 pcs : 04-000-102-007



1 pc : 04-000-101-L03

4 pcs : 04-000-102-003 (3 m)  
04-000-102-140 (4 m)  
04-000-102-004 (6 m)


3 pcs : 04-000-102-008

OR



1 pc : 04-000-101-R03

## 6 PANELS


Ceiling Mounting  
Aluminium Frame

## FITTINGS



2 pcs : 04-000-101-001

## TRACK SYSTEMS

1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)

## DOOR-KIT



2 pcs : 04-000-102-007

+

+

OR

Left




1 pc : 04-000-101-L03

Right



4 pcs : 04-000-101-R03

5 pcs : 04-000-102-003 (3 m)  
04-000-102-140 (4 m)  
04-000-102-004 (6 m)

4 pcs : 04-000-102-008

KINETIX™ FG  
FIX DOORCeiling Mounting  
Aluminium Frame


## FITTINGS



1 pc : 04-000-101-008

+

## TRACK SYSTEMS

1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)

+


## DOOR-KIT



1 pc : 04-000-102-007

# KINETIX™ FG STACKING 2+0 PANELS

Ceiling Mounting  
Aluminium Frame



## FITTINGS



2 pcs : 04-000-101-001




1 pc : 04-000-101-L02




1 pc : 04-000-101-R02

## TRACK SYSTEMS



1 pc : 04-000-102-001 (3 m)  
04-000-102-040 (4 m)  
04-000-102-002 (6 m)



2 pcs : 04-000-102-003 (3 m)  
04-000-102-140 (4 m)  
04-000-102-004 (6 m)



1 pc : 04-000-101-004

## DOOR-KIT



2 pcs : 04-000-102-006



1 pc : 04-000-102-008

OR




# UNIQUE

## WORLDWIDE PATENTED TECHNOLOGY

Reliance Home continuously develops **innovative sliding door solutions** with **globally patented technologies**.

The latest **Kinetix Motion PRO Sliding system** features **pioneering patented running technology**, including a **demountable roller unit**, **embedded assembly technology**, and **stabilising guide rollers** — delivering a **unique and advanced sliding experience**.



# ASSEMBLY KIT

## COMPLICATED? THAT WAS YESTERDAY.

1



Frame Glass : 04-099-000-001  
Wood : 04-W99-000-001

2



04-099-000-002

3



04-099-000-004

4



04-099-000-003

5



04-099-000-005




1. Pattern for determining the length of the belt.
2. Pliers to connect the toothed belt to the fittings.
3. Extended bit to connect the aluminium frames.
4. Drilling pattern to set the drilling points in the profile.
5. Drill to make the holes in the profiles.

## Easy & Precise Installation

The intelligent installation features simplify setup, including the **slim eccentric guide pin**, **error-proof drilling patterns**, and **timing belt measurement guide**.

For long-lasting protection, every kit includes an **edge protector** to keep all four frame corners **safe and durable**.





# CONTACT US

## SS2, Petaling Jaya (Flagship Showroom)

74, Jalan SS 2/24, SS2, 47300 Petaling Jaya, Selangor.

M: +6012-622 6598 | T: +603-7729 3888 | E: [ss2@reliancehome.com](mailto:ss2@reliancehome.com)

### Operating Hours:

- Monday to Saturday : 9.30am – 6.00pm
- Sunday : 10.30am – 5.00pm
- Selected Public Holiday : 10.30am – 5.00pm

## Puchong, Selangor

32G, Jalan Puteri 1/2, Bandar Puteri Puchong, 47100 Puchong, Selangor.

M: +6012-622 6597 | T: +603-8060 3885 | E: [puchong@reliancehome.com](mailto:puchong@reliancehome.com)

### Operating Hours:

- Monday to Saturday : 9.30am – 6.00pm
- Sunday : 10.30am – 5.00pm
- Selected Public Holiday : 10.30am – 5.00pm

## Seri Kembangan, Selangor (HQ)

3, Jalan Taming 2A, Kawasan Perindustrian Taming Jaya  
43300 Balakong, Seri Kembangan, Selangor.

M: +6012-7111 873 | M: +6012-6361 655 | E: [sales@reliancehome.com](mailto:sales@reliancehome.com)

### Operating Hours:

- Monday to Friday : 8.30am – 5.30pm
- Saturday : 9.30am – 5.00pm
- Sunday : 10.30am – 5.30pm
- Selected Public Holiday : 10.30am – 5.00pm

[www.reliancehome.com](http://www.reliancehome.com)

